

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

1.1 Product identifier			
Trade name:		Super pistol spray, silicone-free	
1.2 Relevant identified uses			
substance or mixture and u	ses advised	Identified user intended for professional use only!	
against Application of the substanc	ce / the mixture	Identified use: intended for professional use only! Coating	
1.3 Details of the supplier o		5	
Manufacturer/Supplier:	ווופ שמופנץ שמנם	Alexander BINZEL	
11011010000000000000000000000000000000		Schweißtechnik GmbH & Co.KG	
		Postfach 10 01 53 / D-35331 Giessen	
		Tel.: +49 (0) 6408 / 59-0 Fax: +49 (0) 6408 / 59-191	
		Mail: technischedokumentation@binzel-abicor.com	
Further information obtaina	able from:	Technical Documentation	
1.4 Emergency telephone n		Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen	
		Langenbeckstraße 1; Gebäude 601; 55131 Mainz	
		Tel. Nr.: +49 (0)6131 / 19 24 0 Universitätsmedizin der Johannes Gutenberg-Universität Mainz	
SECTION 2: Hazards i	dentification		
2.1 Classification of the sub	ostance or mixtu		
Classification according to	Regulation (EC)	No 1272/2008	
Aerosol 1 H222-H229 Extrem	mely flammable a	erosol. Pressurised container: May burst if heated.	
2.2 Label elements			
Labelling according to Reg	ulation (EC) No		
1272/2008 Hazard pictograms		The product is classified and labelled according to the CLP regulation.	
Hazard pictograms			
		\checkmark \land \land	
		GHS02	
Signal word		Danger	
Hazard statements		H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.	
Precautionary statements		P210 Reep away from heat, hot surfaces, sparks, open flames and other ignition	sources.
		P211 P211 P211	
		P251 Do not pierce or burn, even after use.	
		P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conta	act lenses
		if present and easy to do. Continue rinsing.	
	•	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 P501 Dispose of contents/container in accordance with local/regional/national/int	
		regulations.	elliauona
2.3 Other hazards			
Results of PBT and vPvB as	ssessment		
PBT: vPvB:		Not applicable. Not applicable.	
VF VD.	<u> </u>		
SECTION 3: Composit	lion/information	on on ingredients	
-	on: Mixtures		
3.2 Chemical characterisati Description:	ion: Mixtures	Mixture: consisting of the following components.	
3.2 Chemical characterisati Description: Dangerous components:			
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8	ion: Mixtures	Mixture: consisting of the following components. Flam. Gas 1, H220; Press. Gas (Comp.), H280	50-100%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7	butane		50-100%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8	butane		50-100%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7	butane	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9	butane propane		
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	butane propane	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	butane propane	Flam. Gas 1, H220; Press. Gas (Comp.), H280 Flam. Gas 1, H220; Press. Gas (Comp.), H280	12.5-25%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21 CAS: 75-28-5	butane propane	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21 CAS: 75-28-5 EINECS: 200-857-2	butane propane isobutane	Flam. Gas 1, H220; Press. Gas (Comp.), H280 Flam. Gas 1, H220; Press. Gas (Comp.), H280	12.5-25%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21 CAS: 75-28-5	butane propane isobutane	Flam. Gas 1, H220; Press. Gas (Comp.), H280 Flam. Gas 1, H220; Press. Gas (Comp.), H280	12.5-25%
3.2 Chemical characterisati Description: Dangerous components: CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-01-8 Reg.nr.: 01-2119474691-32 CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21 CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-01-8	butane propane isobutane	Flam. Gas 1, H220; Press. Gas (Comp.), H280 Flam. Gas 1, H220; Press. Gas (Comp.), H280	12.5-25%

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

Trade name: Super pistol spray, silicone-free

(Contd. of page 1)

SECTION 4: First aid measures

- Information about fire - and explosion

- Requirements to be met by storerooms and

- Information about storage in one common

- 7.2 Conditions for safe storage, including any incompatibilities

protection:

receptacles:

storage facility:

- Storage:

SECTION 4. First all measures	
 - 4.1 Description of first aid measures 	
- General information:	Immediately remove any clothing soiled by the product.
	Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48
	hours after the accident.
	Do not leave affected persons unattended.
	Personal protection for the First Aider.
	Take affected persons out of danger area and lay down.
- After inhalation:	In case of unconsciousness place patient stably in side position for transportation.
	Supply fresh air; consult doctor in case of complaints.
- After skin contact:	Immediately wash with water and soap and rinse thoroughly.
Alter skill contact.	Seek medical treatment in case of complaints.
- After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Alter eye contact.	Protect unharmed eve.
- After swallowing:	If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects,	
both acute and delayed	No further relevant information available.
- 4.3 Indication of any immediate medical	No further relevant information published
attention and special treatment needed	No further relevant information available.
SECTION 5: Firefighting measures	
5.1 Extinguishing modio	
- 5.1 Extinguishing media	CO2 and a second second Sight lange first with the second second second second from
- Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For office management in a stability of the station of the state of th	Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing	
agents:	Water with full jet
- 5.2 Special hazards arising from the	
substance or mixture	Nitrogen oxides (NOx)
	Carbon monoxide (CO)
	CO2
	Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters	
- Protective equipment:	Do not inhale explosion gases or combustion gases.
- Additional information	Collect contaminated fire fighting water separately. It must not enter the sewage system.
	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
SECTION 6: Accidental release mea	asures
- 6.1 Personal precautions, protective	
equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away.
equipment and emergency procedures	Avoid contact with skin and eyes
	Ensure adequate ventilation
	Keep away from ignition sources.
- 6.2 Environmental precautions:	Inform respective authorities in case of seepage into water course or sewage system.
	Prevent from spreading (e.g. by damming-in or oil barriers).
	Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment	
and cleaning up:	Dispose contaminated material as waste according to item 13.
and cleaning up.	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 7 for information on personal protection equipment.
	See Section 13 for disposal information.
SECTION 7: Handling and storage	
ocorron 7. Handling and Storage	
- 7.1 Precautions for safe handling	Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Observe official regulations on storing packagings with pressurised containers.

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Store only in the original receptacle.

Store away from foodstuffs.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

Trade name: Super pistol spray, silicone-free

Store in C Keep cor Protect fr Recomm - 7.3 Specific end use(s) No further SECTION 8: Exposure controls/personal pro- technical information about design of technical facilities: No further - Additional information about design of technical facilities: No further - 8.1 Control parameters - Ingredients with limit values that require monitoring a 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1810 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information: The lists - 8.2 Exposure controls - Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid cou	er data; see item 7. at the workplace: 440/2018 valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. Intact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Store in G Keep cor Protect fr Recomm - 7.3 Specific end use(s) No further SECTION 8: Exposure controls/personal protection - Additional information about design of technical facilities: - Additional information about design of technical facilities: - Ingredients with limit values that require monitoring a 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH- - Additional information: The lists - 8.2 Exposure controls Westore equipment: - General protective equipment: The usuar Keep awar Immediat Wash ha Avoid con Wash ha Avoid con Stream Str	try conditions. hainer tightly sealed. rom heat and direct sunlight. lended storage temperature: 5-30 °C er relevant information available. otection er data; see item 7. at the workplace: 440/2018 valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. htat with the eyes and skin. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Keep cor Protect fr Recomm - 7.3 Specific end use(s) No furthe SECTION 8: Exposure controls/personal protection - Additional information about design of technical facilities: - Additional information about design of technical facilities: - Ingredients with limit values that require monitoring a 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls - - Personal protective equipment: - - General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid con When us Use suit Filter A/P Respiratory protection:	ntainer tightly sealed. rom heat and direct sunlight. hended storage temperature: 5-30 °C er relevant information available. otection er data; see item 7. at the workplace: 440/2018 valid during the making were used as basis. All precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
- 7.3 Specific end use(s) Recomm No furthe SECTION 8: Exposure controls/personal protective and hygienic measures: - Additional information about design of technical facilities: No furthe - 8.1 Control parameters No furthe - Ingredients with limit values that require monitoring at 106-97-8 butane No furthe WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls Personal protective equipment: - General protective and hygienic measures: The usual Keep away limmediat Wash ha Avoid could could be available of the secure of the secur	An ended storage temperature: 5-30 °C er relevant information available. otection er data; see item 7. at the workplace: H40/2018 valid during the making were used as basis. Al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
- 7.3 Specific end use(s) No furthe SECTION 8: Exposure controls/personal prosection No furthe - Additional information about design of technical facilities: No furthe - 8.1 Control parameters No furthe - Ingredients with limit values that require monitoring at 106-97-8 butane No furthe WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid cou - Respiratory protection: When us Use suita Filter A/P Respirator	er relevant information available. Otection er data; see item 7. at the workplace: H40/2018 valid during the making were used as basis al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
SECTION 8: Exposure controls/personal production of technical information about design of technical facilities: - Additional information about design of technical facilities: No furthe - Ingredients with limit values that require monitoring a 106-97-8 butane No furthe WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid cor - Respiratory protection: When us Use suita Filter A/P Respirator	otection er data; see item 7. at the workplace: H40/2018 valid during the making were used as basis. Al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
 Additional information about design of technical facilities: No further 8.1 Control parameters Ingredients with limit values that require monitoring a 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) Regulatory information WEL: EH Additional information: The lists 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid con Respiratory protection: When us Use suita Filter A/P Respirator 	er data; see item 7. at the workplace: 440/2018 valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
technical facilities: No further - Ingredients with limit values that require monitoring at 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immediat Wash ha Avoid con When us Use suita Filter A/P Respiratory protection: When us	At the workplace: 140/2018 valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ted properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
- Ingredients with limit values that require monitoring a 106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information - Additional information: - Bersonal protective equipment: - General protective and hygienic measures: - Respiratory protection: - Resp	440/2018 valid during the making were used as basis, al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing unds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
106-97-8 butane WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH Additional information: - Additional information: The lists - 8.2 Exposure controls Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immedial Wash ha Avoid col - Respiratory protection: When us Use suita Filter A/P Respiratory	440/2018 valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing unds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH Additional information: - Additional information: The lists - 8.2 Exposure controls - - Personal protective equipment: - - General protective and hygienic measures: The usua Keep awa Immedial - Respiratory protection: When us Use suita	valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene) - Regulatory information WEL: EH - Additional information: The lists - 8.2 Exposure controls - Personal protective equipment: - General protective and hygienic measures: The usua Keep awa Immedial Wash ha Avoid cou - Respiratory protection: When us Use suita Filter A/P Respiratory	valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Regulatory information WEL: EH Additional information: The lists S.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual Keep away Immediat Wash ha Avoid con Respiratory protection: When us Use suita Filter A/P Respiratory	valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
 Additional information: The lists 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usua Keep awa Immedial Wash ha Avoid con Respiratory protection: When us Use suita Filter A/P Respirator 	valid during the making were used as basis. al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed. tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Immediat Wash ha Avoid con Respiratory protection: Use suita Filter A/P Respirator	al precautionary measures are to be adhered to when handling chemicals. ay from foodstuffs, beverages and feed tely remove all soiled and contaminated clothing unds before breaks and at the end of work. ntact with the eyes and skin. eed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Personal protective equipment: General protective and hygienic measures: The usua Keep awa Immedial Wash ha Avoid cor Respiratory protection: When us Use suita Filter A/P Respirator	ay from foodstuffs, beverages and feed, tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ded properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Keep awa Immediat Wash ha Avoid cor Respiratory protection: When us Use suita Filter A/P Respirato	ay from foodstuffs, beverages and feed, tely remove all soiled and contaminated clothing inds before breaks and at the end of work. ntact with the eyes and skin. ded properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation.
Wash ha Avoid con Respiratory protection: When us Use suita Filter A/P Respirato	ands before breaks and at the end of work. ntact with the eyes and skin. and properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
- Respiratory protection: When us Use suita Filter A/P Respirato	ntact with the eyes and skin. The properly and under normal conditions, breathing protection is not required. The protective device in case of insufficient ventilation. 22
- Respiratory protection: When us Use suita Filter A/P Respirato	ed properly and under normal conditions, breathing protection is not required. able respiratory protective device in case of insufficient ventilation. 22
Use suita Filter A/P Respirato	able respiratory protective device in case of insufficient ventilation.
	ory protection - Gas filters and combination filters according to EN 141
1112	
	Protective gloves
	Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.
	The glove material has to be impermeable and resistant to the product/ the substance/ the
))	preparation.
	Selection of the glove material on consideration of the penetration times, rates of diffusion
X Y	and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
- Material of gloves	ended materials:
Butyl rub	
Recomm	ended thickness of the material: \geq 0.5 mm
	ion time (min.): < 480
	ction of the suitable gloves does not only depend on the material, but also on further marks of nd varies from manufacturer to manufacturer.
	rmined penetration times according to EN 374 part III are not performed under practical
condition	s. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is
recomme	ended.
As protection from splashes gloves made of the following materials are suitable: Nitrile ruk	bber, NBR
•	ended thickness of the material: ≥ 0.1 mm
Penetrati	ion time (min.): < 10
- Eye protection:	
	Tightly sealed goggles
- Body protection: protective	Protective goggles and facial protection - Classification according to EN 166 e clothing (EN 13034)

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance: Form:

Aerosol

(Contd. on page 4)

- EN -



Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

Trade name: Super pistol spray, silicone-free

		(Contd. of page 3)
Colour: - Odour: - Odour threshold:	Opaque Odourless Not determined.	
- pH-value:	Not determined.	
- Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. Not applicable, as aerosol.*	
- Flash point:	Not applicable, as aerosol.*	
- Flammability (solid, gas):	Not applicable.	
- Ignition temperature:	Not determined.	
- Decomposition temperature:	Not determined.	
- Auto-ignition temperature:	Product is not selfigniting.	
- Explosive properties:	Not determined.	
- Explosion limits: Lower: Upper:	1.5 Vol % 10.9 Vol %	
- Density at 20 °C: - Relative density - Vapour density - Evaporation rate	0.59 g/cm ³ Not determined. Not determined. Not applicable.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
- Partition coefficient: n-octanol/water:	Not determined.	
- Viscosity: Dynamic: Kinematic: - 9.2 Other information	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials:
- 10.6 Hazardous decomposition products:
- No further relevant information available.
- No decomposition if used according to specifications.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

- No dangerous reactions known.
- No further relevant information available.
- No further relevant information available.
- No dangerous decomposition products known.
- **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects

- Acute toxicity

- Primary irritant effect:
- Skin corrosion/irritation
- Serious eye damage/irritation
- Respiratory or skin sensitisation
 - Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Based on available data, the classification criteria are not met. - Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- STOT-single exposure
- STOT-repeated exposure
- Aspiration hazard

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity:

106-97-8 butane

EC50 7.71 mg/l (ALGAE) (96h)

(Contd. on page 5) EN



Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

Trade name: Super pistol spray, silicone-free

	(Contd. of page 4)
LC 50 27.98 mg/l (fish) (96h)	
74-98-6 propane EC50 7.71 mg/l (ALGAE) (96h)	
LC50 27.98 mg/l (fish) (96h)	
75-28-5 isobutane	
LC50 27.98 mg/l (fish) (96h)	
EC50 7.71 mg/l (ALGAE) (96h)	
- 12.2 Persistence and degradability	No further relevant information available.
- 12.3 Bioaccumulative potential	No further relevant information available.
- 12.4 Mobility in soil - Additional ecological information:	No further relevant information available.
- Additional ecological mornation. - General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage
	system.
- 12.5 Results of PBT and vPvB assessme	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- 12.5 Results of PB1 and VPVB assessine - PBT:	Not applicable.
- vPvB:	Not applicable.
- 12.6 Other adverse effects	No further relevant information available.
SECTION 13: Disposal considera	tions
- 13.1 Waste treatment methods	
- Recommendation	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
	Disposal according to official regulations
- European waste catalogue	
15 01 04 metallic packaging	
	cluding halons) containing hazardous substances
	f or contaminated by hazardous substances
- Uncleaned packaging:	
- Recommendation:	Disposal must be made according to official regulations.
SECTION 14: Transport information	ion
- 14.1 UN-Number	
	ion UN1950
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name	UN1950
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR	UN1950 1950 AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name	UN1950 1950 AEROSOLS AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA	UN1950 1950 AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es)	UN1950 1950 AEROSOLS AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA	UN1950 1950 AEROSOLS AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es)	UN1950 1950 AEROSOLS AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es)	UN1950 1950 AEROSOLS AEROSOLS
- 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es)	UN1950 1950 AEROSOLS AEROSOLS
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class 	UN1950 1950 AEROSOLS AEROSOLS
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases.
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases.
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases.
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases.
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class - Label - IMDG, IATA 	UN1950 1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class - Label - IMDG, IATA - Class - Class - Class 	UN1950 UN1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label - IMDG, IATA - Class - Label - Class - Label - Class - Label 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class - Label - IMDG, IATA - Class - Class - Class - Class 	UN1950 UN1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - 14.4 Packing group - ADR, IMDG, IATA - 14.5 Environmental hazards: 	UN1950 1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1 2.1 Void
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - ADR - Class - Label - IMDG, IATA - Class - Label - IABR - Class - Label - Class - Label - ADR, IMDG, IATA 	UN1950 1950 AEROSOLS AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1 2.1 2.1
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - 14.4 Packing group - ADR, IMDG, IATA - 14.5 Environmental hazards: - Marine pollutant: - 14.6 Special precautions for user 	UN1950 1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1 2.1 Void
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - ADR, IMDG, IATA - 14.5 Environmental hazards: - Marine pollutant: 	UN1950 1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1 2.1 2.1 Void No Warning: Gases. -
 - 14.1 UN-Number - ADR, IMDG, IATA - 14.2 UN proper shipping name - ADR - IMDG - IATA - 14.3 Transport hazard class(es) - ADR - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - Class - Label - IMDG, IATA - 14.4 Packing group - ADR, IMDG, IATA - 14.5 Environmental hazards: - Marine pollutant: - 14.6 Special precautions for user 	UN1950 1950 AEROSOLS AEROSOLS, flammable 2 5F Gases. 2.1 2.1 Void No



*

Printing date 15.02.2019

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6

Revision: 15.02.2019

Trade name: Super pistol spray, silicone-free

	(Contd. of page 5)
- EMS Number:	F-D,S-U
- Stowage Code - Segregation Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for
	class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
 - 14.7 Transport in bulk according to Anno Code 	ex II of Marpol and the IBC Not applicable.
- Transport/Additional information:	
- Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
- Transport category - Tunnel restriction code	2 D
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	1L Code: E0
- UN "Model Regulation":	Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1
SECTION 15: Regulatory information	
	gulations/legislation specific for the substance or mixture
- Directive 2012/18/EU - Named dangerous substances - ANNEX	I None of the ingredients is listed.
- Seveso category	P3a FLAMMABLE AEROS <mark>OL</mark> S
- Qualifying quantity (tonnes) for the	
application of lower-tier requirements - Qualifying quantity (tonnes) for the	150 t
application of upper-tier requirements	500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII	Conditions of restriction: 3
- National regulations:	
- Information about limitation of use:	Employment restrictions concerning juveniles must be observed.
•	Employment restrictions concerning pregnant and lactating women must be observed.
- 15.2 Chemical safety assessment:	Employment restrictions concerning women of child-bearing age must be observed. A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information	
This information is based on our present kr establish a legally valid contractual relation	nowledge. However, this shall not constitute a guarantee for any specific product features and shall not ship.
- Relevant phrases	H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.
- Department issuing SDS:	Technical Documentation
 Contact: Abbreviations and acronyms: 	Technical Documentation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
	Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1
-	Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas
- Sources	Internet: - www.echa.europa.eu
	- www.baua.de
	IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance: - www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp
 * Data compared to the previous version altered. 	- www.dguv.de/ifa/gestis/gestis-dnel-liste
	EN

D0006212 / Index h